



## ***Product & Price List*** ***valid from 03/2012***

***INDIAM Diamantwerkzeuge GmbH***  
***Karl-Kuhn-Str. 14***  
***D- 55543 Bad Kreuznach***  
***Phone: + 49[0]671/75050***  
***Fax: +49[0]671/75040***  
***Email: [info@indiam.de](mailto:info@indiam.de)***  
***[www.indiam.de](http://www.indiam.de)***

© by ***INDIAM Diamantwerkzeuge GmbH***

***Your global solution supplier***

	<b>index</b>	<b>side</b>
<b>I</b>	floor saw petrol /diesel	
	wet cutting	<b>3 – 4</b>
	wet/dry cutting	<b>5 – 12</b>
	asphalt milling tool	<b>3</b>
	concrete milling tool	<b>4</b>
	milling tool 90° Partnerring	<b>5 5</b>
<b>II</b>	masonry saw	<b>8 – 12 17 19</b>
	<b>III</b> large masonry saw	<b>12</b>
	<b>IV</b>	angle grinder
cup grinder		<b>22 – 25</b>
V-milling tool		<b>26</b>
masonry milling tool		<b>26</b>
<b>V</b>	natural stone working	<b>20</b>
<b>VI</b>	wall saw/ elektrik floor saw	<b>21</b>
<b>VII</b>	cup grinder special	<b>27</b>
	milling cutter	<b>28</b>
	grinding plate	<b>28</b>
<b>VIII</b>	segments for corbits	<b>29</b>
	corebits	<b>30 – 33</b>
	corebits dry drilling system	<b>34</b>
	corebits ring sintered	<b>35</b>
	drilling accesories	<b>36</b>
	socket corebits	<b>37</b>
<b>IX</b>	Legend	<b>38</b>

**[DIAMOND SAWBLADE ASPHALT-PROFESSIONAL A1]** 


- Application: Asphalt and abrasive materials
- Machines: 15 - 50 KW
- Long life



<b>Ø MM</b>	<b>SEGMENT DIMENSION MM</b>	<b>STEEL CENTER WIDTH MM</b>	<b>SLANT SEGMENT PIECES</b>	<b>PRICE €</b>
<b>600</b>	40 x 4,0 x 10	2,8	35/5	
<b>700</b>	40 x 4,6 x 10	3,5	40/5	
<b>750</b>	40 x 4,6 x 10	3,5	42/5	
<b>800</b>	40 x 4,6 x 10	3,5	45/8	
<b>900</b>	40 x 4,6 x 10	3,5	46/8	
<b>1000</b>	40 x 4,6 x 10	3,5	56/8	
<b>1200</b>	40 x 4,6 x 10	3,5	68/8	

**[ASPHALT MILLING TOOL]** 

- Application: Asphalt and abrasive materials
- Machines: 10 - 35 KW
- Very long life



<b>WEIDTH MM</b>	<b>SEGMENT HEIGHT MM</b>	<b>Ø 300 PRICE €</b>	<b>Ø 350 PRICE €</b>	<b>Ø 400 PRICE €</b>
6,0	10,0			
8,0	10,0			
10,0	10,0			
12,0	10,0			

**OTHER HOLES WITH A SURCHARGE.** <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

[ **DIAMOND SAWBLADE CONCRETE PROFESSIONAL B1X** ] 


- Application: Cured concrete (also reinforced)
- Machines: 20 - 60 KW
- Very long life, fast cut
- Ø 500 - Ø 700mm laser



Ø MM	SANDWICH SEGMENT DIMENSION MM	STEEL CENTER WIDTH MM	SEGMENT PIECES	PRICE €
500	40 x 4,0 x 12	2,8	36	
600	40 x 4,0 x 12	2,8	42	
600	40 x 4,6 x 12	3,5	42	
600	40 x 5,0 x 12	3,5	42	
650	40 x 4,6 x 12	3,5	39	
700	40 x 4,0 x 12	3,5	46	
750	40 x 4,6 x 12	3,5	42	
800	40 x 4,6 x 12	3,5	45	
900	40 x 4,6 x 12	3,5	46	
1000	40 x 4,6 x 12	3,5	56	
1200	40 x 4,6 x 12	3,5	68	

[ **CONCRETE MILLING TOOL** ] 

- Application: Concrete
- Machines: 10 - 35 KW
- Very long life



WEIDTH MM	SEGMENT HEIGHT MM	Ø 300 PRICE €	Ø 350 PRICE €	Ø 400 PRICE €
6,0	10,0			
8,0	10,0			
10,0	10,0			
12,0	10,0			


**OTHER HOLES WITH A SURCHARGE. <sup>1</sup>**

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE FB-A – GREEN CONCRETE]**



- Application: Green concrete, Asphalt
- Machines: 11 - 50 KW
- Very long life




Ø MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH MM	SEGMENT PIECES	PRICE €
350	40 x 3,2 x 10,5	2,2	25/3	
400	40 x 3,2 x 10,5	2,5	28/4	
450	40 x 3,6 x 10,5	2,5	32/4	

**[MILLING TOOL 90° PROFESSIONAL (1 FEW) ]**





High-Chamfering for 45 ° chamfers of joints in **asphalt or concrete**  
Professional design for excellent durability  
by very close interaction, very clean joint edges

- Machines: 11 - 50 KW
- Very long life



Ø / BORE MM	SEGMENT- DIMENSION MM	SEGMENTPIECES	APPLICATION	PRICE €
280/25,4	9,5 x 9,5 x 50	2 x 25	Premium	
250/25,4	9,5 x 9,5 x 13	2 x 13	Profi	

**[PARTNERRING]**



Ø / BORE MM	SEGMENT- DIMENSION MM	SEGMENT PIECES	APPLICATION	PRICE €
350	4,0 x 10	22	Concrete/sandlime brick	


*Incl. rolls for Partner-machine 3500*

**OTHER HOLES WITH A SURCHARGE. <sup>1</sup>**

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE ASPHALT-LASER E 10]** 

- Application: Asphalt, abrasive materials
- Machines: 2 - 15 KW
- Above-average life




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 10	18	1,8	
350	20/25,4	40 x 3,0 x 10	21	2,2	
400	25,4	40 x 3,6 x 10	24	2,2	
450	25,4	40 x 3,6 x 10	28	2,2	
500	25,4	40 x 4,0 x 10	30	2,5	
600	25,4	40 x 4,6 x 10	36	3,0	

**[DIAMOND SAWBLADE ASPHALT-LASER S13]** 

*with patented forging 13 mm segment*

- Application: Asphalt, abrasive materials
- Machines: 2- 15 KW
- Long life




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 13	18	1,8	
350	20/25,4	40 x 3,2 x 13	21	2,2	
400	25,4	40 x 3,2 x 13	24	2,2	
450	25,4	40 x 3,6 x 13	25	2,5	
500	25,4	40 x 3,6 x 13	30	2,5	
600	25,4	40 x 4,0 x 13	35	3,0	

**[DIAMOND SAWBLADE ASPHALT PROFESSIONAL]** 

*with patented forging 13 mm segment*

- Application: Asphalt, abrasive materials
- Machines: 2 - 15 KW
- Very long life





Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 13	18	1,8	
350	20/25,4	40 x 3,2 x 13	21	2,2	
400	25,4	40 x 3,2 x 13	24	2,2	
450	25,4	40 x 3,6 x 13	25	2,5	
500	25,4	40 x 3,6 x 13	30	2,5	
600	25,4	40 x 4,0 x 13	35	3,0	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE BASIC]** 

- Application: Concrete (also reinforced), general building materials
- Machines: 2 - 10 KW
- Above-average life






Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 10	21	1,8	
350	20/25,4	40 x 3,0 x 10	24	2,2	
400	25,4	40 x 3,2 x 10	28	2,2	
450	25,4	40 x 3,6 x 10	32	2,5	
500	25,4	40 x 3,6 x 10	36	2,5	
600	25,4	40 x 4,4 x 10	40	3,0	

**[DIAMOND SAWBLADE STANDARD]** 

*with patented forging 13 mm segment*

**NEW**

- Application: Concrete (also reinforced), granite, general building materials
- Machines: 2 - 10 KW
- Long life, fast cut






Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 13	18	1,8	
350	20/25,4	40 x 3,2 x 13	21	2,2	
400	25,4	40 x 3,2 x 13	24	2,2	
450	25,4	40 x 3,2 x 13	25	2,5	
500	25,4	40 x 3,6 x 13	30	2,5	
600	25,4	40 x 4,0 x 13	35	3,0	

**[DIAMOND SAWBLADE SUPER-CONCRETE]** 

*with patented forging 13 mm segment*

**NEW**

- Application: Concrete (also reinforced), conditioned granite, general building materials
- Machines: 2 - 10 KW
- Very long life, fast cut





Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 13	18	1,8	
350	20/25,4	40 x 3,0 x 13	21	2,2	
400	25,4	40 x 3,2 x 13	24	2,2	
450	25,4	40 x 3,6 x 13	25	2,5	
500	25,4	40 x 3,6 x 13	30	2,5	
600	25,4	40 x 4,0 x 13	35	2,8	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE CONCRETE PROFESSIONAL]**  **NEW**  
*with patented forging 13 mm segment*




- Application: Concrete (also reinforced), concrete abrasiv
- Machines: 2 – 20KW
- Very long life, fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 13	20	1,8	
350	20/25,4	40 x 3,0 x 13	24	2,2	
400	25,4	40 x 3,2 x 13	24	2,2	
450	25,4	40 x 3,6 x 12	25	2,5	
500	25,4	40 x 3,6 x 12	30	2,5	
600	25,4	40 x 3,6 x 12	34	2,8	
700	25,4	40 x 3,6 x 12	40	2,8	
800	25,4	40 x 3,6 x 12	45	2,8	

**[DIAMOND SAWBLADE WISPER-CUT]**  **NEW**  
*with patented forging 13 mm segment*

- Application: Concrete (also reinforced), klinker etc.
- Machines: 2 – 10 KW
- Very fast cut, very long life
- **SILENCIO-core** (quiet section)




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/25,4/30	40 x 3,0 x 13	18	2,2	
350	20/25,4/30	40 x 3,0 x 13	21	2,2	
400	20/25,4/30	40 x 3,2 x 13	24	2,5	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE TURBO-LASER S10]** 

- Application: Concrete (also reinforced), granite etc.
- Machines: 2 – 7 KW
- Above-average life, fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	PRICE €
300	20/22,2/25,4	40 x 2,8 x 10	22	
350	20/25,4	40 x 3,2 x 10	24	
400	20/25,4	40 x 3,2 x 10	28	
450	25,4	40 x 3,4 x 10	32	
500	25,4	40 x 3,6 x 10	40	

**[DIAMOND SAWBLADE TURBO DYNAMIC]** 

- Application: Hard concrete (also reinforced), natural stone, ductile, clay pipes etc
- Machines: 2 – 7 KW
- above-average life, very fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH	PRICE €
300	20/22,2/25,4	3,2 x 9	Turbo	
350	20/25,4	3,2 x 9	Turbo	

**[DIAMOND SAWBLADE TURBO P15]** 

- Application: Concrete (also reinforced), natural stone, granite etc.
- Machines: 2 - 7 KW
- very long life, very fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES SHORT TEETH	STEEL CENTER WIDTHMM	PRICE €
300	20/22,2/25,4	40 x 3,0 x 15	18	2,0	
350	20/25,4	40 x 3,2 x 15	21	2,0	
400	20/25,4	40 x 3,2 x 15	24	2,2	
450	25,4	40 x 4,0 x 15	25	2,5	

**OTHER HOLES WITH A SURCHARGE. <sup>1</sup>**



<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE SPEED-CUT]**  
WITH PATENTED FORGING 13 MM SEGMENTS



**NEW**

- Application: Concrete (also reinforced)
- Machines: 2 – 10 KW
- **Extreme fast cut**, very long life, self-cooling, nearly vibration-free



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/25,4	40 x 2,8 x 13	20	1,8	
350	20/25,4	40 x 3,0 x 13	24	2,2	
400	20/25,4	40 x 3,2 x 13	28	2,2	


**[DIAMOND SAWBLADE MASTERCUT]**



**NEW**

WITH PATENTED FORGING 17 MM SEGMENTS

- **Super-professional quality laser**
- Application: Granite, concrete (also reinforced), ductile etc.
- Very long life, very fast cut, self-cooling, nearly vibration-free



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 17	19	2,0	
350	20/25,4/30	40 x 3,0 x 17	22	2,0	
400	40/25,4	40 x 3,2 x 17	26	2,2	



**[DIAMOND SAWBLADE CLINKER SPECIAL]**



**NEW**

WITH PATENTED FORGING 13 MM SEGMENTS

- Application: Hard clinker
- Machines: 2 – 10 KW
- Very long life, very fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	41,5 x 2,8 x 13	20	1,8	
350	20/25,4/30	40 x 3,0 x 13	24	2,2	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE MACRO-LASER]** 

**ARXX-segment-technology with control-placed diamonds in the matrix**



- Application: Concrete (also reinforced)
- Machines: 2 – 10 KW
- Very long life, fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES TURBOSEGMENT	STEEL CENTER WIDTH MM	PRICE €
300	20/25,4/30	40 x 3,2 x 12	21	1,8	
350	20/25,4/30	40 x 3,2 x 12	24	2,2	
400	20/25,4/30	40 x 3,2 x 12	28	2,2	

**[DIAMOND SAWBLADE MULTIDRIVE]** 

- Application: Concrete/asphalt, abrasive materials
- Machines: 2 - 7 KW
- Long life, fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES SHORT TEETH	STEEL CENTER WIDTH MM	PRICE €
350	20/25,4	40 x 3,2 x 12	24	2,2	
400	25,4	40 x 3,2 x 12	28	2,2	


**[CUTTING DISC ROOT-CUT]** 

**NEW**

**Carbide tipped blade**

**No raise and no cleaning required**

- Application: Tree roots in soil, logs, plastic, rubber etc.
- Machines: 2 – 10 KW
- No blunting in ground



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/25,4/30	6,4 x 10	25	--	
350	20/25,4/30	6,4 x 10	30	--	


OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE BSS]** 



- *Application: sandlime brick, poroton, Bimsstein, sandstone, concrete products  
in varying use*
- *Machines: bis 7,5 KW*



<b>Ø MM</b>	<b>BORE MM</b>	<b>SEGMENT DIMENSION MM</b>	<b>SEGMENT PIECES</b>	<b>PRICE €</b>	<b>DETENSO-CORE PRICE €</b> 
<b>625</b>	60	40 x 4,0 x 10	38		
<b>650</b>	25,4	40 x 4,0 x 10	40		
<b>700</b>	60	40 x 4,4 x 10	43		
<b>750</b>	60	40 x 4,4 x 10	45		
<b>800</b>	60	40 x 4,4 x 10	48		
<b>860</b>	60/40	40 x 4,4 x 10	44		
<b>900</b>	60/55	40 x 4,5 x 10	52		
<b>1000</b>	60	40 x 4,5 x 10	58		

**[DIAMOND SAWBLADE BSS PROFESSIONAL]** 

- *Application: sand lime brick, poroton, sandstone, concrete products  
in varying use*
- *Machines: bis 7,5 KW*




<b>Ø MM</b>	<b>BORE MM</b>	<b>SEGMENT DIMENSION MM</b>	<b>SEGMENT PIECES</b>	<b>PROFI PRICE €</b>
<b>625</b>	60/55	40 x 4,6 x 10	36	
<b>900</b>	60/55	40 x 4,6 x 10	52	

**OTHER HOLES WITH A SURCHARGE. <sup>1</sup>**

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE BAU-UNI]** 


- Application: Half hardness concrete, general building materials
- low-priced diamond sawblade, sintered



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
115	22,2	38 x 2,0 x 10	8	1,5	
125	22,2	37 x 2,0 x 10	9	1,5	
230	22,2	39 x 2,6 x 10	16	1,8	

**[DIAMOND SAWBLADE LASER – BASIC]** 

- Application: Half hardness concrete, general building materials
- Above-average life





Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	PRICE €
115	22,2	31 x 2,0 x 10	9	
125	22,2	31 x 2,1 x 10	10	
230	22,2	40 x 2,4 x 10	16	

**[DIAMOND SAWBLADE STANDARD]** 

**WITH PATENTED FORGING 13 MM SEGMENTS**

- Application: Concrete (also reinforced), granite, general building materials
- Long life, fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
115	22,2	35 x 2,4 x 13	8	1,5	
125	22,2	35 x 2,4 x 13	9	1,5	
150	22,2	35 x 2,4 x 13	11	1,5	
180	22,2	35 x 2,4 x 13	13	1,5	
230	22,2	40 x 2,6 x 13	15	1,8	

**OTHER HOLES WITH A SURCHARGE. <sup>1</sup>**



<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE CONCRETE PROFESSIONAL]**



**WITH PATENTED FORGING 13 MM SEGMENTS**

- Application: Concrete (also reinforced), concrete products
- Very long life, very fast cut





Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	CORE	PRICE €
125	22,2	42 x 2,4 x 13	9	Core hole	
150	22,2	40 x 2,4 x 13	11	Core hole	
230	22,2	43 x 2,6 x 13	15	Core hole	

**[DIAMOND SAWBLADE FE – PROFESSIONAL]**



- Application: steel (thickness max. 30 mm), sheet-steel, iron, grey iron
- Long life, noise-diminishedly




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES SHORT TEETH	STEEL CENTER WIDTH MM	PRICE €
230	22,2	40 x 2,4 x 7	16	1,8	

**[DIAMOND SAWBLADE ABRASIVE PROFESSIONAL]**



- Application: abrasive materials, green concrete, fire-proof materials
- Very long life





Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
115	22,2	35 x 2,4 x 10	8	1,8	
125	22,2	35 x 2,4 x 10	9	1,8	
135	30 + 4 NL	35 x 2,4 x 10	9	1,8	
150	22,2	35 x 2,4 x 10	11	1,8	
180	22,2	35 x 2,4 x 10	13	1,8	
200	22,2	40 x 2,4 x 10	13	1,8	
230	22,2	40 x 2,6 x 10	16	1,8	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE GRANITE PROFESSIONAL]** 

- Application: Hard natural stone, granite
- Very long life, very fast cut





Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
115	22,2	2,4 x 10	8	1,5	
125	22,2	2,4 x 10	9	1,5	
150	22,2	2,4 x 10	11	1,5	
180	22,2	2,4 x 10	13	1,5	
200	22,2/25,4	2,6 x 10	13	1,5	
230	22,2	2,6 x 10	16	1,8	

**[DIAMOND SAWBLADE MSF FOR WALL CHASER]**  **NEW**

WITH PATENTED FORGING 13 MM SEGMENTS

- Application: Concrete, masonry, dense sand lime brick etc.
- Very long life, very fast cut, self-cooling (no chill breaks)
- reinforced core, wider segments




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
125	22,2	40 x 2,6 x 13	9	1,8	
150	22,2	40 x 2,6 x 13	11	1,8	
180	22,2	41 x 2,6 x 13	13	1,8	
200	22,2	43 x 2,6 x 13	14	1,8	

**[DIAMOND SAWBLADE MASTERCUT]**  **NEW**

WITH PATENTED FORGING 17 MM SEGMENTS

- Super-professional quality laser
- Application: Granite, concrete (also reinforced), ductile etc.
- Extreme cut, very long life, self-cooling, nearly vibration-free




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
230	22,2	40 x 2,8 x 17	16	2,0	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE TURBO RK]** 


- Application: Concrete, pebble dashed, natural stone, hart clay tubes, tiles
- Long life, fast and exactly cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH	PRICE €
115	22,2	2,2 x 6	<i>Turbo</i>	
125	22,2	2,2 x 6	<i>Turbo</i>	
150	22,2	2,2 x 6	<i>Turbo</i>	
180	22,2	2,6 x 6	<i>Turbo</i>	
230	22,2	2,6 x 7	<i>Turbo</i>	

**[DIAMOND SAWBLADE TURBO SDU]** 


- Application: Concrete (also reinforced), hart clay tubes, pebble dashed, granite
- Very long life, fast and exactly cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH	PRICE €
115	22,2	2,2 x 6	<i>Turbo</i>	
125	22,2	2,2 x 6	<i>Turbo</i>	
150	22,2	2,2 x 6	<i>Turbo</i>	
180	22,2	2,4 x 6	<i>Turbo</i>	
230	22,2	2,6 x 7	<i>Turbo</i>	
300	20,0	2,6 x 7	<i>Turbo</i>	

**[DIAMOND SAWBLADE TURBO DYNAMIC]** 

- Application: Hard concrete (also reinforced), granite, natural stone etc.
- above-average life, fast and exactly cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH	PRICE €
115	22,2	2,2 x 8,5	<i>Turbo</i>	
125	22,2	2,2 x 8,5	<i>Turbo</i>	
230	22,2	2,4 x 9	<i>Turbo</i>	
300	20/22,2/25,4	2,9 x 9	<i>Turbo</i>	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE TURBO RS] 1MM THICK** 

- Application: very hard ceramics, granite etc.
- **ONLY 1 mm thick, in that way very fast cut + less dust**
- **Super-Premium quality**



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH	PRICE €
115	22,2	1,0 x 5	<i>Turbo</i>	
125	22,2	1,0 x 5	<i>Turbo</i>	

**[DIAMOND SAWBLADE TURBO SL] 1,2MM THICK** 

- Application: very hard ceramics, granite, clinker etc.
- **Very fast cut + less dust**
- **Solid core with reinforced flange**
- **Premium quality**



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH	PRICE €
115	22,2	1,2 x 7	<i>Turbo</i>	
125	22,2	1,2 x 7	<i>Turbo</i>	
180	22,2/25,4/30	1,6 x 7	<i>Turbo</i>	
200	22,2/25,4/30	1,6 x 7	<i>Turbo</i>	
230	22,2/25,4/30	1,6 x 7	<i>Turbo</i>	
250	25,4/30	1,6 x 7	<i>Turbo</i>	
300	25,4/30	2,0 x 7	<i>Turbo</i>	
350	25,4/30	2,0 x 7	<i>Turbo</i>	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE FL-ECO]** 

- Application: Tiles, general building materials, „very good price“
- Machines: 1 - 3 KW



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH MM	PRICE €
110	22,2	1,6 x 5	1,3	
125	22,2	1,7 x 5	1,3	
200	25,4	2,0 x 5	1,4	
230	22,2	2,0 x 5	1,4	

**[DIAMOND SAWBLADE SM-Y]** 

- Application: Tiles, natural stone, ceramics, „very fine cut“
- Machines: 1 - 3 KW
- Fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH MM	PRICE €
115	22,2	1,6 x 7	1,2	
125	22,2	1,6 x 7	1,2	
150	22,2	1,6 x 7	1,2	
180	22,2/25,4	1,6 x 7	1,2	
200	25,4/30	1,6 x 7	1,2	
230	22,2	2,1 x 7	1,6	
250	25,4/30,0	1,6 x 7	1,6	
300	25,4/30,0	2,0 x 7	1,6	
350	25,4/30,0	2,4 x 7	1,8	

**[DIAMOND SAWBLADE GALVANO]** 

**ELECTRO PLATED**

- Application: Marble, travertine



Ø MM	BORE MM	PRICE €
115	22,2	
125	22,2	
180	22,2	
230	22,2	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE GF]** 

- *Application: Glass tiles, ceramics, natural stone tiles etc.*
- *Machines: 1 - 3 KW*
- *extra thin*




<b>Ø MM</b>	<b>BORE MM</b>	<b>SEGMENT DIMENSION MM</b>	<b>PRICE €</b>
<b>115</b>	22,2	0,8 x 10	
<b>125</b>	22,2	0,8 x 10	
<b>200</b>	25,4	1,9 x 8	
<b>250</b>	25,4	2,0 x 8	

**[CUTTING DISC ROOT-CUT]** 

**NEW**

**Carbide tipped blade**  
**No raise and no cleaning required**

- *Application: Tree roots in soil, logs, plastic, rubber etc.*
- *Machines: 2 – 10 KW*
- *No blunting in ground*



<b>Ø MM</b>	<b>BORE MM</b>	<b>SEGMENT DIMENSION MM</b>	<b>SEGMENT PIECES</b>	<b>STEEL CENTER WIDTH MM</b>	<b>PRICE €</b>
<b>125</b>	22,2	6,4 x 10	10	--	
<b>230</b>	22,2	6,4 x 10	15	--	

**OTHER HOLES WITH A SURCHARGE.** <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE-NATURAL STONE GRANITE]** 

- Application: Mixed granits



Ø MM	SEGMENT DIMENSION MM	SEGMENT PIECES	SEGMENT HEIGHT 10MM PROFESSIONAL LASER PRICE €	SEGMENT HEIGHT 10MM SHORT TEETH PRICE €	SEGMENT HEIGHT 20MM SHORT TEETH PRICE €
250	40 x 2,8	15/30			
300	40 x 2,8	20/36			
350	40 x 3,2	24/42			
400	40 x 3,4	48			
450	40 x 3,6	50			
500	20 x 3,7	60			
600	20 x 5,3	72			
625	20 x 4,6	72			
650	20 x 5,0	76			
700	20 x 5,0	80			
900	20 x 4,6	104			

Other dimensions possible

**[DIAMOND SAWBLADE-NATURAL STONE MARBLE]** 

SANDWICH-CORE, SANDWICH-SEGMENTS

- Application: Marble



Ø MM	SEGMENT DIMENSION MM	BORE MM	SEGMENT PIECES	SEGMENT HEIGHT 10 MM PRICE €
250	40 x 2,8 x 7	25,4/30	17	
300	40 x 3,0 x 10	25,4/30	21	
350	40 x 3,0 x 10	25,4/30	25	
400	40 x 3,2 x 10	60	28	

Other dimensios possible.  
Grinding-, milling- and profiling tools possible.

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[WAND SAW BLADE WSV-PROFESSIONAL]**



**NEW**

**WITH PATENTED FORGING 20 MM SEGMENTS**

- Application: Concrete (also reinforced), pebble dashed
- Machines: 1 - 25 KW (Electro, high frequency, hydraulic)
- Very long life, very fast cut




<b>Ø MM</b>	<b>SEGMENT DIMENSION MM</b>	<b>SEGMENT PIECES</b>	<b>PRICE €</b>
<b>600</b>	46 x 5,1/4,9 x 20	36	
<b>650</b>	46 x 5,1/4,9 x 20	38	
<b>800</b>	46 x 4,7/4,5 x 20	46	
<b>900</b>	46 x 4,7/4,5 x 20	48	
<b>1000</b>	46 x 4,5/4,3 x 20	52	
<b>1200</b>	46 x 4,5/4,3 x 20	62	

**OTHER HOLES WITH A SURCHARGE. <sup>1</sup>**

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND-CUP GRINDER BASIC]** 


- Application: Concrete, cement (grinding coarse)



Ø MM	BORE MM	HEIGHT MM	TYPE	PRICE €
115	22,2	22	Segmented double-rim	
125	22,2	22	Segmented double-rim	
175	22,2	25	Segmented double-rim	
180	22,2	25	Segmented double-rim	

**[DIAMOND-CUP GRINDER PRO]** 


- Application: Natural stone, concrete or abrasive materials



Ø MM	BORE MM	HEIGHT MM	TYPE	PRICE €
100	22,2	22	Segmented single-rim	
110	22,2	22	Segmented single-rim	
125	22,2	22/25	Segmented single-rim	
180	22,2	30/25/22	Segmented single-rim	
100	22,2	22	Segmented double-rim	
115	22,2	22	Segmented double-rim	
125	22,2	22	Segmented double-rim	
175	22,2	25	Segmented double-rim	
180	22,2	30/25/22	Segmented double-rim	
230	22,2	46	Segmented double-rim	

**[DIAMOND- CUP GRINDER TURBO G]** 

- Application: Natural stone, concrete or abrasive materials



Ø MM	BORE MM		TYPE	PRICE €
100	M14/22,2		Turbo	
125	M14/22,2		Turbo	
180	M14/22,2		Turbo	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>


<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND-CUP GRINDER]**

*Vacuum sintered*



- Application: Concrete, natural stone etc.




Ø MM	BORE MM	HEIGHT MM	TYPE	PRICE €
100	M14/22,2	15	Plano	
115	M14		Plano	
125	M14/22,2		Plano	

**[DIAMOND-CUP GRINDER (LIKE BOSCH)]**



- Application: Concrete, natural stone **or** abrasive materials
- Machines: angle grinder, grinding machine with dust extraction



Ø MM	HEIGHT MM	TYPE	PRICE €
125/22,2	22	Concrete B2 or abrasive B2A	
180/22,2	22	Concrete B2 or abrasive B2A	

**[DIAMOND-CUP GRINDER]**



**NEW**

- Application: Concrete, cement (yellow) **or** granite, concrete, cement (green)
- High performance
- Very long life



**Patented**




Ø / BORE MM	MACHINE	SEGMENT PIECES	TYPE	PRICE €
148/19 + 5 NL	Hilti	10	Boomy (yellow)	
148/19 + 5 NL	Hilti	10	Boomy (green)	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND-CUP GRINDER]** 

- Application: Concrete, natural stone **or** abrasive materials




Ø / BORE MM	MACHINE	HEIGHT MM	TYPE	PRICE €
125 / 22,2	Hilti	22	IS2010 or IS2010 abrasive	
148 / 19 + 5NL		19	IS2010 or IS2010 abrasive	
180 / 22,2		25	IS2010 or IS2010 abrasive	

**[DIAMOND-CUP GRINDER PCD]** 

For peeling


- Extreme fast and effective cut by very long life
- Application: epoxid-resin-coats, colour-coats, rests of adhesive etc.
- 



Ø / BORE MM	SEGMENT PIECES	HEIGHT MM	TYPE	PRICE €
125 / 22,2	6	22	PCD	
178 / 22,2	8	22	PCD	

**[DIAMOND-CUP GRINDER]** 

- Application: Concrete, natural stone **or** abrasive materials




Ø / BORE MM	HEIGHT MM	TYPE	PRICE €
100 / 22,2	20	Vector or Vector abrasive	
115 / 22,2	20	Vector or Vector abrasive	
125 / 22,2	22	Vector or Vector abrasive	
150 / 23,0	23	Vector or Vector abrasive	
178 / 22,2	30	Vector or Vector abrasive	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND-CUP GRINDER ZERO]** 


- Application: Concrete, natural stone, concrete screed etc.
- Super-Professional quality



Ø / BORE MM	HEIGHT MM	MACHINES	SEGMENT PIECES	PRICE €
100 / 22,2	22		8 [small]	
125 / 22,2	22		8 [large]	
180 / 22,2	35/22,5		10 [large]	

**[DIAMOND-CUP GRINDER ZERO-EPOXI]** 


- Application: peeling and milling of epoxy resin
- Super-Professional quality



Ø / BORE MM	HEIGHT MM	MACHINE	SANDWICH SEGMENT	PRICE €
100 / 22,2	22		8	
125 / 22,2	22		8	
180 / 22,2	35/22,5		12	

**[DIAMOND-CUP GRINDER]** 

- Application: Concrete, natural stone or abrasive materials





Ø / BORE MM	MACHINE	HEIGHT MM	TYPE	PRICE €
148 / 19 + 5 NL	Hilti	19	Rafter concrete	
148 / 19 + 5 NL	Hilti	19	Rafter abrasive	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND -V-MILLING TOOL]** 


- Application: Concrete, concrete screed



<b>Ø MM</b>	<b>BORE MM</b>	<b>TYPE</b>	<b>PRICE €</b>
110	22,2	V-milling tool	
125	22,2	V-milling tool	
125	22,2	V-milling tool 90°	
178	22,2	V-milling tool	
230	22,2	V-milling tool	
230	22,2	V-milling tool 90°	

**[DIAMOND-MASONRY MILLING TOOL]** 

- Application: Masonry, mortar, plaster




<b>WIDTH MM</b>	<b>SEGMENT HEIGHT MM</b>	<b>BORE MM</b>	<b>Ø 115 PRICE €</b>	<b>Ø 125 PRICE €</b>	<b>Ø 180 PRICE €</b>	<b>Ø 230 PRICE €</b>
4,5	6,0	22,2				
6,4	6,0	22,2				
8,0	6,0	22,2				
10,0	6,0	22,2				

**OTHER HOLES WITH A SURCHARGE.** <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND-CUP GRINDER]** 



- floor grinding, fine grinding, treads



Ø / BORE MM	SEGMENT PIECES	SEGMENT MM	TYPE	PRICE €
250 / 30	13	40 x 10 x 10	yellow (eco universal)	
250 / 30	20	40 x 10 x 10	red (concrete)	
250 / 30	20	40 x 10 x 10	green (universal)	
250 / 30	20	40 x 10 x 10	blue (abrasive materials)	
250 / 30	20	40 x 10 x 10	silver (very abrasive materials)	

**[DIAMOND-CUP GRINDER]** 

- floor grinding
- application: peeling and milling of epoxy resin, gluten etc.




Ø / BORE MM	SEGMENT PIECES	SEGMENT MM	TYPE PE	PRICE €
250/30	20	40 x 10 x 10	concrete universal	

**[DIAMOND-CUP GRINDER ZAK]** 

**equipped with 10 standard alternating segments**

- floor grinding
- application: for grinding surfaces etc.




Ø / BORE MM	GRINDING SLAPS	SEGMENTS	TYPE PE	PRICE €
250/30	10	2	Concrete universal	
250/30	10	2	screed, asphalt, abr. building materials	

**OTHER HOLES WITH A SURCHARGE.** <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

[DIAMOND-MILLING CUTER] 



Ø / BORE MM	SEGMENT PIECES	SEGMENT MM	TYPE	PRICE €
150 / 25,4	30	20 x 5 x 6,2	<i>asphalt/concrete</i>	

[DIAMOND-GRINDING PLATE] 

- *Coarse and fine grinding of concrete floors*



TYPE	SEGMENT PIECES	SEGMENT MM	TYPE	PRICE €
DSS-2-B	2	40 x 10 x 10	<i>concrete</i>	
DSS-2-A	2	40 x 10 x 10	<i>abrasive materials</i>	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[SEGMENTS FOR COREBITS]** 

- Roof segments facilitates drilling



DIMENSION MM	Ø MM	PREMIUM CONCRETE 10 MM ROOF SEGEMENT PRICE €
24 x 3,5	40-110	
24 x 4,0	107-272	
24 x 4,5	182-272	
24 x 5,0	Ø 300+	

**[SEGMENTS FOR COREBITS]** 

- Reduced friction through Turbo form



DIMENSION MM	Ø MM	PREMIUM CONCRETE 10 MM TURBO SEGMENT PRICE €
24 x 3,5	40-110	
24 x 4,0	107-272	
24 x 4,5	182-272	
24 x 5,0	Ø 300+	

**[SEGMENTS FOR COREBITS]** 

**NEW**

- Self-sharpening segments
- Reduced friction through turbo form
- High performance, high drilling speed



DIMENSION MM	Ø MM	PROFESSIONAL CONCRETE CX 10 MM TURBO SEGMENT PRICE €
24 x 3,0	50-80	
24 x 3,5	40-110	
24 x 4,0	107-272	
24 x 4,6	182-272	
24 x 5,0	Ø 300+	

The segment width you can choose from the present tube thickness (for example 2 mm – segment width 3,5 mm)

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND COREBIT PROFESSIONAL LASER WITH ARXX-TECHNOLOGY]** 

- Application: Concrete (also reinforced)
- Connection: 1 1/4"
- Standard length: 450 mm
- Machines: 1 – 20 KW



Ø MM	CONCRETE LASER WITH ARXX-SEGMENT-TECHNOLOGY		PRICE €
	DIMENSION MM	PIECES	
52	24 x 3,6 x 10	5	
62	24 x 3,6 x 10	6	
72	24 x 3,6 x 10	7	
82	24 x 3,6 x 10	8	
102	24 x 3,6 x 10	9	
112	24 x 3,6 x 10	10	
122	24 x 3,6 x 10	10	
132	24 x 4,1 x 10	11	
152	24 x 4,1 x 10	13	
162	24 x 4,1 x 10	14	
172	24 x 4,1 x 10	14	
182	24 x 4,1 x 10	15	
202	24 x 4,1 x 10	15	

The roof segments facilitate the drilling, the laser welding guarantees maximum security.

1

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND COREBIT LASER]** 

- Application: Concrete(also reinforced), masonry
- Connection: 1 1/4"
- Standard length: 400 mm
- Machines: 1 – 20 KW



Ø MM	CONCRETE LASER WITH TURBO SEGMENT		PRICE €
	DIMENSION MM	PIECES	
42	24 x 3,5 x 10	4	
52	24 x 3,5 x 10	5	
57	24 x 3,5 x 10	5	
62	24 x 3,5 x 10	6	
67	24 x 3,5 x 10	6	
72	24 x 3,5 x 10	7	
82	24 x 3,5 x 10	7	
92	24 x 3,5 x 10	8	
102	24 x 3,5 x 10	9	
107	24 x 3,5 x 10	9	
112	24 x 3,5 x 10	10	
122	24 x 3,5 x 10	10	
127	24 x 3,5 x 10	11	
132	24 x 3,5 x 10	11	
142	24 x 4,0 x 10	11	
152	24 x 4,0 x 10	12	
162	24 x 4,0 x 10	12	
172	24 x 4,0 x 10	12	
182	24 x 4,0 x 10	12	
202	24 x 4,0 x 10	15	
225	24 x 4,5 x 10	15	
232	24 x 4,5 x 9	16	
250	24 x 4,5 x 9	17	
300	24 x 5,0 x 8	21	
350	24 x 5,0 x 8	23	

Further dimensions are available on request. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMANTBOHRKRONEN LASER]** 

- Application: Concrete (also reinforced), also ductile
- Connection: **3-loch**
- Standard length: 300(320) mm
- Machines: 1 – 20 KW



Ø MM	CONCRETE LASER WITH TURBO SEGMENT		PRICE €
	DIMENSION MM	PIECES	
102	24 x 3,5 x 9	9	
108	24 x 3,5 x 8	9	
112	24 x 3,5 x 9	9	
122	24 x 3,5 x 9	10	
127	24 x 3,5 x 10	11	
138	24 x 3,5 x 9	11	
152	24 x 4,0 x 9	12	
162	24 x 4,0 x 9	12	
165	24 x 4,0 x 10	12	
172	24 x 4,0 x 10	12	
178	24 x 4,0 x 9	13	
182	24 x 4,5 x 9	14	
186	24 x 4,0 x 10	12	
195	24 x 4,5 x 9	15	
200	24 x 4,0 x 10	15	
212	24 x 4,0 x 10	15	
226	24 x 4,5 x 10	16	
232	24 x 4,5 x 10	16	
247	24 x 4,5 x 10	16	
257	24 x 4,5 x 10	17	
266	24 x 5,0 x 10	17	
276	24 x 5,0 x 10	17	
297	24 x 5,0 x 10	21	
354	24 x 5,0 x 10	23	

Further dimensions are available on request. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND COREBIT PROFESSIONAL]**



- *Very fast cut – very fast life*
- *Application: Concrete (also reinforced), asphalt, masonry, natural stone etc.*
- *Connection: 1 ¼ UNC, 3-hole [partial]*
- *Standard length: 450 mm/300mm*
- *Machines: 1 – 20 KW*



Ø MM	<b>PROFESSIONAL CONCRETE</b>		<b>ADDITIONAL COST FOR MORE LENGTH PER 100 MM</b>	<b>PRICE €  NEW</b>
	<b>DIMENSION MM</b>	<b>PIECES</b>		
32	16 x 3,0 x 9	5		
42	16 x 3,0 x 9	5		
52	24 x 3,0 x 9	5		
62	24 x 3,0 x 9	6		
72	24 x 3,0 x 9	6		
82	24 x 3,5 x 9	7		
87	24 x 3,5 x 9	7		
92	24 x 3,5 x 9	8		
102	24 x 3,5 x 9	9		
112	24 x 3,5 x 9	9		
122	24 x 3,5 x 9	10		
127	24 x 3,5 x 9	10		
132	24 x 3,5 x 9	11		
142	24 x 4,0 x 9	12		
152	24 x 4,0 x 9	13		
157	24 x 4,0 x 9	13		
162	24 x 4,0 x 9	13		
167	24 x 4,0 x 9	13		
172	24 x 4,0 x 9	14		
182	24 x 4,0 x 9	14		
187	24 x 4,0 x 9	15		
192	24 x 4,0 x 9	15		
200	24 x 4,0 x 9	15		
212	24 x 4,0 x 9	15		
225	24 x 4,0 x 9	16		
250	24 x 4,5 x 9	16		
257	24 x 4,5 x 9	16		
275	24 x 4,5 x 9	18		
300	24 x 4,5 x 9	20		
350	24 x 4,5 x 9	22		
400	24 x 5,0 x 9	23		
450	24 x 5,0 x 9	25		
500	20 x 5,0 x 9	32		
600	20 x 5,0 x 9	38		


Further dimensions are available on request.

<sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND-COREBIT FOR DRILLING DRY LASER]** 


- Application: Concrete (also reinforced), poroton, masonry etc.
- Connection: 1 ¼" UNC
- Standard length: 400 mm
- Machines: for all common drilling machines



Ø MM	CONCRETE LASER WITH TURBO SEGMENT		PRICE €
	DIMENSION MM	PIECES	
68	16 x 3,0 x 10	4	
82	24 x 3,5 x 10	4	
102	24 x 3,5 x 10	5	
112	24 x 4,0 x 10	6	
127	24 x 4,0 x 10	6	
152	24 x 4,0 x 10	7	
172	24 x 4,0 x 10	7	
187	24 x 4,0 x 10	9	
200	24 x 4,0 x 10	10	

**[DIAMOND-COREBIT FOR DRILLIND DRY LASER M16 IG]** 

- Application: Concrete (also reinforced), poroton, masonry etc.
- Connection: M16 female
- Standard length: 170 mm
- Machines: for all common drilling machines



Ø MM	CONCRETE LASER WITH TURBO SEGMENT		PRICE €
	DIMENSION MM	PIECES	
30	16 x 3,0 x 8	3	
40	16 x 3,0 x 8	3	
52	16 x 3,0 x 8	3	
62	16 x 3,0 x 8	3	
68	24 x 3,5 x 8	3	
72	16 x 3,0 x 8	4	
82	24 x 3,5 x 8	4	
92	24 x 3,5 x 8	4	
102	24 x 3,5 x 8	5	
112	24 x 4,0 x 8	6	
127	24 x 4,0 x 8	6	
132	24 x 4,0 x 8	6	
142	24 x 4,0 x 8	7	
152	24 x 4,0 x 8	8	
162	24 x 4,0 x 8	8	
179	24 x 4,0 x 8	8	
202	24 x 4,0 x 8	10	

Further dimensions are available on request.

1

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND COREBIT PREMIUM RING SINTERD]**



- Application: Concrete (also reinforced), natural stone etc.
- Segment height: 10 mm
- Connection: R 1/2" male
- from Ø 26mm laser
- Machines: for all common drilling machines




Ø MM	STANDARD LENGTH: 150 MM PRICE €	STANDARD LENGTH: 300 MM PRICE €
8		
10		
12		
14		
16		
18		
20		
22		
24		
26		
28		
30		
32		
36		
40		
42		
46		
51		

**[DIAMOND TILE DRILL PREMIUM VACUUM BRAZED]**



- Application: Tiles, granite, ceramics, marble etc.
- Standard length: 35mm (5 – 14mm) + 50mm (16 – 120 mm)
- Connection: M14 female
- Segment height: 15mm
- Machines: for all common drilling machines



Ø MM	PRICE €	Ø MM	PRICE €
5		45	
6		50	
8		55	
10		60	
12		65	
14		68	
18		73	
20		75	
22		80	
25		82	
27		85	
32		90	
35		95	
38		100	
40		110	
42		120	

With a special wax inside for cooling and dust control (5-14mm)

Further dimensions are available on request. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DRILLING ACCESSORIES]**

**Extensions**



DESCRIPTION	PRICE €
Extension 1 1/4" SW 41 100 mm	
Extension 1 1/4" SW 41 200 mm	
Extension 1 1/4" SW 41 300 mm	
Extension 1 1/4" SW 41 400 mm	
Extension 1 1/4" SW 41 500 mm	
Extension r 1/2" SW 22 100 mm	
Extension r 1/2" SW 22 200 mm	
Extension r 1/2" SW 22 300 mm	
Extension r 1/2" SW 22 400 mm	
Extension r 1/2" SW 22 500 mm	

extension with other junctions possible

**Adapter**




BEZEICHNUNG	PRICE €
Adapter 1 1/4" („female“ thread) - r 1/2" („female“ thread)	
Adapter 1 1/4" („male“ thread) - r 1/2" („male“ thread)	
Adapter 1 1/4" („male“ thread) - B.B.T. („female“ thread)	
Adapter 1 1/4" („female“ thread)- B.B.T.(„male“ thread)	
Adapter 1 1/4" („male“ thread) - M 38 („female“ thread)	
Adapter 1 1/4" („female“ thread)- M 38 („male“ thread)	
Adapter B.B.T.(„male“ thread) - r 1/2" („male“ thread)	
Adapter B.B.T.(„female“ thread) - r 1/2" („female“ thread)	
Adapter 1 1/4" („female“ thread) – 3-hole-flange	
Adapter DDBI – r 1/2"	
Adapter DDBU – 1 1/4" UNC	
Adapter 1 1/4" UNC – SDS Bi	
Adapter SDS-Plus – M16 kurz 100 mm	
Adapter SDS-Plus – M16 lang 200 mm	

**Further dimensions are available on request. <sup>1</sup>**

<sup>1</sup>price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SOCKET COREBIT STANDARD]** 

- Application: masonry
- Connection: M16 female
- Machines: for all common drilling machines



Ø MM	CONNECTION	SEGMENT PIECES	SEGMENT HEIGHT MM	PRICE € WITHOUT ACCESSORIES
68	M16	3	7	
82	M16	4	7	

**[DIAMOND-SOCKET COREBIT PROFESSIONAL]** 

- Application: Concrete (also slightly reinforced), sandlime brick, masonry etc.
- Connection: M16 female
- Machines: for all common drilling machines



Ø MM	CONNECTION	SEGMENT PIECES	SEGMENT HEIGHT MM	PROFESSIONAL QUALITY WITH TURBO SEGMENT PRICE €
68	M16	3	9	
82	M16	4	9	

**[DIAMOND-SOCKET COREBIT QUADRO]** 

- Application: Concrete (also slightly reinforced), sandlime brick, poroton, masonry etc.
- Connection: M16 female
- Machines: for all common drilling machines



Ø MM	CONNECTION	SEGMENT PIECES	SEGMENT HEIGHT MM	PROFESSIONAL QUALITY WITH TURBO SHORT TEETH PRICE €
68	M16	6	10	
82	M16	8	10	

Further dimensions are available on request. <sup>1</sup>

<sup>1</sup>price in EURO per piece, ex warehouse. Our general conditions are valid.

# legend



angle grinder



masonry saw



tiles machine



motor cutter



floor saw petrol/diesel



handmachine for core drilling



hand drilling machine



core drilling machine



floor drilling machine



economy quality



basic quality



medium quality



professional quality



super professional quality



wet cutting



dry cutting



laser welding




soldered



Turbo



silenced



wire saw



bridge saw



wall saw



made in germany